

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




1  
m341P

JUL 20 1940

UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

PRICES RECEIVED BY FARMERS  
FOR  
CROPS, LIVESTOCK, AND LIVESTOCK PRODUCTS  
FOR 1939 AND EARLIER YEARS

(Reprinted from CROPS AND MARKETS)



UNITED STATES  
GOVERNMENT PRINTING OFFICE  
WASHINGTON: 1940







# CROPS AND MARKETS

## Average Prices Received by Farmers, United States, 1929-39

### Wheat: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average <sup>1</sup>
1929	101.6	110.0	111.4	110.7	102.8	107.3	107.5	101.3	91.9	93.4	87.5	87.9	103.6
1930	70.6	74.0	70.3	65.6	60.0	61.3	59.1	58.7	58.3	59.2	59.9	51.9	67.1
1931	36.3	35.4	35.7	36.1	50.5	44.1	44.1	44.0	44.2	43.1	42.4	37.3	39.0
1932	35.6	38.5	37.4	34.6	32.8	31.6	32.9	32.3	34.5	44.8	59.0	58.7	38.2
1933	86.9	74.7	71.1	63.6	71.1	67.3	69.4	72.0	70.9	68.7	69.5	78.9	74.4
1934	78.8	89.6	92.2	88.5	88.1	90.6	89.3	87.9	85.5	90.2	87.8	77.3	84.8
1935	76.4	80.8	85.2	95.1	87.6	89.0	92.0	91.1	89.5	85.4	81.6	79.9	83.2
1936	94.1	105.1	104.3	106.8	106.4	114.5	123.6	124.9	123.2	126.6	118.3	108.9	102.6
1937	112.8	99.4	93.0	88.7	81.9	83.6	88.6	86.6	80.3	75.0	71.4	69.7	*96.0
1938	60.8	50.7	52.5	52.2	52.0	53.6	57.1	56.9	56.7	57.8	63.0	62.5	*55.4
1939	55.7	54.5	72.7	70.3	73.1	---	---	---	---	---	---	---	*70.2

### Oats: Per Bushel

1929	42.9	42.7	44.1	44.8	43.1	43.6	43.1	43.0	41.4	42.4	40.9	39.3	41.8
1930	33.1	35.7	36.1	34.7	31.5	32.3	31.1	30.7	30.1	30.2	28.6	26.1	32.2
1931	23.3	19.8	20.0	20.1	23.2	23.0	22.7	22.8	22.8	21.8	19.8	21.3	21.3
1932	17.5	14.8	14.4	13.1	13.1	13.0	13.4	13.3	13.7	17.0	21.7	23.1	15.7
1933	39.1	32.2	32.3	27.9	31.4	31.4	32.5	34.1	33.9	32.6	32.7	38.9	33.5
1934	40.6	45.8	50.3	50.5	51.1	53.9	54.6	54.7	54.1	53.5	49.8	41.9	48.0
1935	32.2	26.9	25.8	27.0	25.5	25.5	25.9	26.6	26.7	25.4	25.1	24.3	26.3
1936	35.2	43.0	43.5	43.1	44.2	48.4	52.7	53.7	52.5	54.6	53.5	48.1	44.9
1937	42.5	28.5	29.0	28.8	28.7	29.1	30.0	30.0	28.3	27.5	25.3	29.1	*29.1
1938	24.0	20.3	21.8	22.1	22.5	24.4	26.3	26.2	26.9	27.4	29.5	29.9	*23.2
1939	26.5	25.4	31.5	30.3	32.1	---	---	---	---	---	---	---	*30.3

### Barley: Per Bushel

1929	55.6	55.8	55.2	54.7	53.8	54.6	53.9	52.5	51.4	51.7	50.5	47.5	53.9
1930	40.0	43.6	45.3	41.9	38.3	38.8	36.6	35.3	34.4	35.2	35.5	32.6	40.5
1931	30.0	29.9	30.9	31.6	35.7	35.7	35.8	37.2	37.1	33.7	28.7	32.8	32.8
1932	24.6	21.1	20.1	18.2	20.1	19.3	18.4	17.9	18.3	23.4	29.9	28.3	22.1
1933	47.6	40.2	42.8	40.7	41.6	40.6	43.7	44.7	43.7	42.5	42.2	50.9	43.5
1934	52.6	63.5	75.2	75.5	75.9	79.7	80.2	79.2	76.0	74.4	66.0	55.0	68.6
1935	41.2	35.1	37.3	39.4	37.8	37.5	38.6	39.6	39.7	38.6	37.1	37.0	37.8
1936	56.1	81.3	82.6	84.2	82.7	86.1	90.4	93.4	89.9	90.0	86.1	71.4	78.4
1937	64.4	52.2	52.8	52.0	50.7	50.8	54.0	54.8	52.9	50.4	49.0	42.9	*54.7
1938	38.9	34.5	35.3	36.1	34.7	36.5	38.0	37.6	38.0	37.9	39.2	39.4	*37.7
1939	35.5	34.5	42.8	42.2	42.2	---	---	---	---	---	---	---	*39.8

### Rye: Per Bushel

1929	85.3	91.8	89.2	89.9	85.5	88.4	85.7	78.3	68.4	68.7	63.8	60.7	85.7
1930	43.6	53.0	53.1	47.6	41.6	41.1	37.4	34.9	34.3	32.8	33.0	31.4	44.5
1931	33.0	32.5	33.2	33.6	41.4	36.8	36.8	36.3	37.7	36.6	33.4	28.8	34.1
1932	22.0	23.3	23.6	22.3	22.1	21.1	22.7	21.9	22.8	30.1	38.9	43.5	28.1
1933	78.2	58.8	61.4	62.7	55.1	51.9	53.6	54.2	53.1	52.8	51.9	58.2	62.7
1934	61.8	73.9	79.1	75.0	71.9	74.4	73.1	69.3	66.5	66.0	62.0	53.7	71.8
1935	36.0	35.5	36.5	42.1	40.4	40.0	41.4	44.4	42.9	40.8	40.6	43.8	39.5
1936	61.1	75.1	79.5	80.4	81.5	90.0	97.9	98.9	95.8	99.9	96.0	85.3	80.9
1937	81.0	70.6	68.1	63.8	60.8	59.2	64.1	63.4	58.7	52.2	49.8	46.0	*67.4
1938	41.1	32.4	32.0	32.9	32.1	32.3	34.7	33.9	32.9	33.0	36.4	39.1	*32.4
1939	34.3	34.2	44.0	45.1	44.6	---	---	---	---	---	---	---	*41.2

### Flaxseed: Per Bushel

1929	2.33	2.60	2.85	3.00	2.85	2.88	2.80	2.75	2.62	2.64	2.46	2.40	2.81
1930	1.93	1.92	1.68	1.52	1.34	1.38	1.32	1.26	1.30	1.29	1.30	1.20	1.61
1931	1.33	1.20	1.13	1.06	1.22	1.19	1.16	1.16	1.19	1.16	1.07	.86	1.17
1932	.81	.79	.88	.88	.87	.83	.91	.87	.88	.95	1.19	1.36	.88
1933	1.89	1.63	1.64	1.49	1.55	1.51	1.61	1.65	1.60	1.55	1.64	1.68	1.63
1934	1.68	1.77	1.75	1.67	1.62	1.69	1.68	1.67	1.59	1.61	1.56	1.49	1.70
1935	1.34	1.34	1.35	1.52	1.53	1.56	1.61	1.60	1.54	1.48	1.47	1.47	1.42
1936	1.84	1.92	1.87	1.86	1.90	1.95	2.09	2.03	1.98	1.98	1.92	1.73	1.90
1937	1.86	1.83	1.89	1.89	1.81	1.81	1.93	1.91	1.86	1.80	1.74	1.62	1.87
1938	1.61	1.55	1.59	1.63	1.60	1.64	1.71	1.63	1.64	1.64	1.60	1.61	1.59
1939	1.39	1.35	1.53	1.63	1.64	---	---	---	---	---	---	---	*1.52

### Alfalfa Seed: Per Bushel

1929	14.68	13.52	12.85	11.68	10.83	11.10	11.15	11.16	11.97	11.97	12.38	12.05	12.04
1930	12.10	11.91	11.36	10.68	10.18	9.86	9.97	10.20	9.91	9.89	9.70	9.64	10.78
1931	9.93	9.69	8.35	6.94	6.58	6.97	6.26	6.58	6.70	6.79	6.58	6.47	7.30
1932	6.53	5.98	5.59	5.25	5.19	5.42	5.68	5.89	5.93	6.32	6.64	6.82	5.52
1933	7.10	7.05	6.31	5.52	5.12	5.10	5.32	5.90	6.27	6.14	6.19	6.70	6.07
1934	6.77	7.02	9.35	10.46	10.27	10.45	10.83	11.25	11.53	11.82	11.28	10.51	9.96
1935	9.49	9.09	8.73	7.80	7.50	7.28	7.37	7.38	7.85	8.03	8.34	8.32	7.89
1936	8.52	9.63	10.85	11.34	11.84	12.14	12.37	13.01	14.14	14.69	14.85	14.48	11.89
1937	14.17	13.52	13.77	14.88	14.55	13.68	13.67	14.53	15.47	15.88	15.65	15.28	*13.56
1938	14.35	11.88	10.13	9.92	10.47	10.71	11.15	11.17	11.52	12.25	12.29	11.89	*10.48
1939	11.63	10.75	10.53	10.16	10.12	---	---	---	---	---	---	---	*10.29

### All Hay, Loose: Per Ton

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average <sup>1</sup>
1929	11.17	10.55	11.05	11.07	11.18	11.04	11.16	11.19	10.95	10.97	10.98	10.91	10.90
1930	10.47	11.31	12.14	12.17	12.19	11.33	11.21	10.92	10.66	10.59	10.54	9.97	11.06
1931	9.30	9.05	8.88	8.57	8.68	8.71	8.60	8.45	8.69	8.74	8.48	7.60	8.69
1932	6.95	6.82	6.80	6.54	6.49	6.14	6.03	5.91	5.89	6.12	6.37	6.43	6.22
1933	6.99	7.53	7.53	7.54	7.09	7.69	7.78	8.07	8.34	8.59	8.94	9.75	8.12
1934	10.18	12.50	13.03	13.40	13.58	13.86	14.02	14.02	13.79	13.67	13.38	12.07	13.28
1935	8.88	7.90	7.43	7.26	7.25	7.20	7.30	7.57	7.45	7.35	7.26	7.31	7.61
1936	8.66	10.77	10.87	10.77	10.73	11.08	11.51	11.84	11.98	12.24	12.11	10.93	11.04
1937	9.48	8.97	8.91	8.77	8.74	8.79	8.79	8.71	8.51	8.17	7.91	7.48	*8.84
1938	7.11	6.82	6.70	6.72	6.82	6.81	6.79	6.78	6.67	6.67	6.68	6.63	*7.04
1939	6.76	6.77	7.17	7.31	7.51	---	---	---	---	---	---	---	*7.89

### Alfalfa Hay: Per Ton

1929	13.12	13.17	13.50	13.84	14.00	14.41	14.66	14.45	13.90	13.42	12.87	12.14	13.73
1930	11.44	12.16	12.85	12.97	12.94	12.52	12.21	11.74	11.29	11.01	10.87	10.24	12.13
1931	9.80	9.86	9.67	9.58	9.94	10.31	10.14	10.25	10.84	10.79	9.97	8.63	10.05
1932	7.38	7.15	7.27	7.05	7.01	6.77	6.70	6.39	6.34	6.46	6.71	6.69	6.99
1933	7.48	7.90	8.04	8.26	8.26	8.36	8.47	8.58	8.68	8.84	9.28	10.25	8.42
1934	10.84	13.51	14.69	15.07	15.28	15.38	15.31	15.19	14.99	14.94	14.74	12.31	14.43
1935	9.23	8.44	8.25	8.15	8.27	8.29	8.50	8.78	8.67	8.35	8.16	7.82	8.53
1936	9.37	12.04	12.15	12.09	12.16	12.52	13.02	13.98	14.12	13.81	13.33	11.76	12.35
1937	10.53	10.23	10.39	10.54	10.56	10.74	10.73	10.46	10.17	9.83	9.18	8.32	10.32
1938	8.16	7.75	7.73	7.74	7.92	8.13	7.96	7.95	7.84	7.62	7.63	7.40	7.86
1939	7.48	7.45	8.04	8.36	8.65								8.05



## Average Prices Received by Farmers, United States, 1929-39—Continued

## Cottonseed: Per Ton

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average <sup>1</sup>
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	34.00	31.96	31.27	31.34	30.24	29.85	28.04	27.45	27.41	28.60	29.68	28.83	30.97
1930	27.00	23.26	23.86	20.40	21.22	21.12	20.97	21.61	22.09	22.30	21.73	20.02	22.09
1931	18.20	13.53	8.77	7.38	11.01	10.57	9.98	9.66	9.55	9.33	9.65	8.83	8.91
1932	7.80	8.65	11.43	10.38	9.33	8.70	8.55	8.53	8.78	9.37	11.34	12.18	10.23
1933	15.00	14.83	12.24	12.42	13.23	14.46	14.69	16.79	18.17	19.09	19.55	19.26	12.85
1934	22.50	26.76	31.91	35.04	36.58	39.34	38.56	38.19	37.07	36.68	36.27	34.92	33.09
1935	33.00	28.41	27.87	32.14	33.32	32.02	29.75	29.20	29.15	29.89	28.72	27.31	30.54
1936	28.00	31.87	33.77	33.36	33.13	34.79	36.57	37.19	37.33	37.82	37.42	35.62	33.41
1937	33.00	24.42	19.21	18.38	19.01	18.50	18.58	19.20	20.24	20.55	21.63	21.29	19.52
1938	21.00	21.36	21.17	22.42	23.08	23.04	23.09	22.58	22.98	22.95	22.87	22.72	21.79
1939	20.70	16.24	20.56	22.88	23.75								21.67

## Cotton: Per Pound

Year beginning August—	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weighted average <sup>1</sup>
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1929	17.92	18.20	17.57	16.31	16.06	15.93	14.92	13.85	14.82	14.54	14.02	11.92	16.79
1930	11.25	9.86	9.16	9.63	8.73	8.76	9.32	9.50	9.35	8.92	7.69	8.45	9.46
1931	6.07	5.89	5.21	6.02	5.49	5.63	5.91	6.26	5.83	5.26	4.62	5.07	5.66
1932	6.51	7.13	6.32	5.90	5.38	5.65	5.57	6.15	6.27	8.30	8.90	10.68	6.52
1933	8.80	8.81	8.99	9.59	9.66	10.36	11.85	11.84	11.65	11.06	11.65	12.29	10.17
1934	13.02	13.13	12.56	12.38	12.45	12.55	12.37	11.50	11.66	12.03	11.75	11.89	12.39
1935	11.44	10.55	10.88	11.51	11.37	11.10	11.02	11.14	11.19	11.27	11.38	12.62	11.09
1936	12.29	12.55	12.23	12.01	12.37	12.45	12.58	13.69	13.72	12.93	12.47	12.39	12.33
1937	10.51	8.96	8.10	7.82	7.67	7.79	8.01	8.41	8.24	8.41	8.12	8.66	8.41
1938	8.12	8.23	8.53	8.52	8.20	8.29	8.31	8.15	8.48	8.48	8.67	8.77	8.60
1939	8.70	9.13	8.73	8.80									8.90

## Timothy Seed: Per Bushel

	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	1.69	1.88	2.02	2.17	2.25	2.46	2.37	2.51	2.67	2.69	2.65	2.53	1.97
1930	2.51	2.62	3.06	3.11	3.09	3.29	3.32	3.58	3.61	3.43	3.16	2.33	2.50
1931	1.38	1.43	1.44	1.46	1.54	1.53	1.62	1.70	1.59	1.61	1.39	1.20	1.38
1932	.91	.93	.88	.92	.95	.98	.99	1.01	1.02	1.10	1.10	1.38	.94
1933	1.65	1.83	2.13	2.20	2.18	2.13	2.59	2.94	2.96	2.75	3.25	3.29	1.93
1934	4.65	7.54	7.51	7.37	7.68	7.86	8.26	8.38	8.71	8.48	7.67	2.84	6.54
1935	1.32	1.13	1.13	1.19	1.20	1.27	1.28	1.27	1.28	1.27	1.28	1.90	1.09
1936	2.62	2.66	2.52	2.52	2.59	2.67	2.80	2.68	2.63	2.44	2.25	1.68	2.57
1937	1.14	1.09	1.22	1.17	1.19	1.40	1.40	1.49	1.43	1.40	1.26	1.25	1.20
1938	1.22	1.18	1.19	1.19	1.19	1.24	1.33	1.33	1.41	1.43	1.36	1.41	1.23
1939	1.58	1.64	1.59	1.62									1.65

Rice (Rough): Per Bushel, Louisiana<sup>5</sup>

	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1929	100	99	99	99	98	100	107	103	107	106	104	99	100
1930	88	79	80	76	73	75	78	76	77	74	74	73	77
1931	56	47	51	60	59	56	53	52	49	49	48	46	52
1932	47	44	42	41	41	38	36	40	45	56	60	61	43
1933	65	75	78	80	75	78	79	80	81	78	77	75	78
1934	79	78	83	85	78	77	82	85	86	87	90	88	82
1935	74	55	65	70	74	83	85	83	84	89	89	90	71
1936	91	99	87	84	82	92	97	98	100	95	89	85	90
1937	76	65	80	83	68	72	66	63	57	58	63	64	69
1938	64	60	65	69	65	66	69	65	64	64	64	63	65
1939	58	89	76	78									78

## Cowpeas: Per Bushel

Year beginning September—	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Weighted average <sup>1</sup>
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	2.49	2.30	2.22	2.28	2.40	2.59	2.73	2.85	2.93	3.00	2.93	2.66	2.64
1930	2.41	2.20	2.05	1.86	1.80	1.75	1.82	1.87	1.93	1.96	1.89	1.63	1.87
1931	1.27	.98	.93	.93	.92	.88	.88	.82	.76	.72	.67	.70	.86
1932	.67	.70	.63	.60	.60	.60	.62	.69	.89	1.02	1.21	1.30	.81
1933	1.06	.94	.87	.92	1.03	1.26	1.45	1.61	1.03	1.60	1.57	1.42	1.32
1934	1.32	1.26	1.25	1.30	1.37	1.47	1.53	1.54	1.57	1.63	1.60	1.42	1.48
1935	1.25	1.13	1.15	1.15	1.22	1.29	1.35	1.54	1.80	1.96	2.07	1.88	1.56
1936	1.52	1.37	1.33	1.38	1.51	1.69	1.83	1.96	1.98	1.97	1.83	1.55	1.72
1937	1.37	1.18	1.13	1.18	1.29	1.34	1.43	1.51	1.59	1.69	1.63	1.48	*1.43
1938	1.27	1.18	1.17	1.24	1.30	1.37	1.43	1.49	1.57	1.59	1.52	1.35	1.14
1939	1.28	1.18	1.18										1.36

<sup>1</sup> For cotton and cottonseed, the crop year average prices by States are weighted by sales to obtain a weighted average for the United States. For timothy seed, rice, and cowpeas the crop year average prices by States are weighted by production to obtain weighted averages for the United States.

<sup>2</sup> Preliminary.

<sup>3</sup> Includes unredeemed loans on cotton at estimated average loan value.

<sup>4</sup> Season average price to December 1.

<sup>5</sup> Estimate based on reports of prices from rice growers.

\* Revised.

## Buckwheat: Per Bushel

Year beginning September—	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Weighted average <sup>1</sup>
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1929	96.6	95.8	95.6	95.9	97.3	95.8	94.9	94.8	95.7	100.0	98.3	97.4	96.3
1930	97.1	90.5	84.4	79.7	78.9	76.3	77.0	74.8	72.9	72.3	69.8	59.2	78.9
1931	52.2	40.2	41.2	41.9	42.1	40.9	41.7	41.4	40.9	42.3	44.2	44.3	42.3
1932	43.0	40.3	39.0	38.3	39.2	39.1	39.5	42.7	48.4	53.6	66.3	67.3	43.4
1933	68.4	56.7	52.5	51.3	52.1	52.8	54.3	55.5	55.5	60.2	64.7	67.0	55.8
1934	68.8	60.4	55.5	56.1	57.7	59.7	59.6	59.7	60.7	62.5	62.1	59.6	58.6
1935	57.2	53.1	52.1	51.6	51.7	53.9	53.9	55.0	55.6	57.2	66.4	78.7	55.0
1936	81.9	78.3	76.8	79.7	86.4	90.7	92.1	94.3	97.2	100.3	100.8	93.5	85.6
1937	76.8	62.4	63.9	64.3	66.5	67.9	70.1	69.8	72.1	72.2	73.9	65.6	*56.5
1938	59.4	54.5	53.4	52.9	53.7	54.5	54.9	54.4	55.0	55.9	56.4	54.8	*53.2
1939	59.7	62.7	62.4										60.9

## Beans (Dry Edible): Per 100 Pounds

	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	8.00	7.65	7.13	6.52	6.33	6.16	6.10	5.97	6.36	6.20	5.96	5.97	6.77
1930	6.03	4.96	4.10	3.85	3.64	3.74	3.49	3.31	3.29	3.19	2.98	2.95	4.20
1931	2.58	2.33	2.55	2.42	2.29	2.06	1.90	1.87	1.80	1.73	1.72	2.02	2.13
1932	2.04	1.90	1.66	1.56	1.55	1.50	1.63	1.14	2.90	2.80	3.10	3.38	1.98
1933	3.29	2.64	2.85	2.64	2.70	2.82	2.75	2.61	2.61	2.61	2.74	2.79	3.19
1934	3.83	3.83	3.56	3.43	3.51	3.50	3.62	3.63	3.62	3.54	3.41	3.26	3.52
1935	3.08	2.89	2.67	2.44	2.61	2.85	2.86	3.00	3.02	2.96	3.76	4.33	2.93
1936	4.35	4.83	5.30	5.49	5.87	6.43	6.32	6.10	5.85	5.66	5.35	4.46	5.38
1937	3.52	3.37	2.77	2.88	3.02	2.97	2.92	2.84	2.93	3.00	3.30	2.94	3.07
1938	2.68	2.24	2.47	2.48	2.58	2.55	2.54	2.54	2.77	2.66	2.62	2.63	2.34
1939	3.80	3.34	3.18										3.29

## Peanuts: Per Pound

	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1929	4.6	4.4	4.0	3.8	3.7	3.5	3.5	3.5	3.7	3.6	3.7	3.8	3.80
1930	3.9	4.2	3.8	3.2	3.2	3.6	3.7	3.9	4.1	3.9	3.8	3.6	3.57
1931	3.1	2.3	2.2	2.0	2.0	1.9	2.0	1.9	1.7	1.6	1.4	1.7	2.05
1932	2.0	1.6	1.6	1.2	1.3	1.3	1.5	1.5	2.1	2.3	2.5	2.6	1.54
1933	2.5	2.5	2.7	2.6	2.9	3.1	3.2	3.4	3.4	3.3	3.2	3.3	2.83
1934	3.3	3.2	3.1	3.3	3.5	4.1	4.4	4.4	4.4	4.1	3.9	3.4	3.20
1935	3.4	3.3	3.1	3.0	3.0	3.1	3.0	3.1	3.3	3.3	3.7	3.8	3.13
1936	3.7	3.5	3.3	3.6	4.1	4.1	4.2	4.5	4.4	4.2	4.0	3.7	3.71
1937	3.4	3.2	3.2	3.2	3.3	3.4	3.5	3.5	3.4	3.5	3.5	3.4	*3.20
1938	3.2	3.2	3.3	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	*3.27
1939	3.4	3.4	3.4										2 3.40



## Average Prices Received by Farmers, United States, 1929-39—Continued

## Corn: Per Bushel

Year beginning October—	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Weighted average <sup>1</sup>
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1929	91.9	81.0	78.0	77.3	77.4	74.5	78.3	77.8	79.0	77.1	90.0	91.7	79.9
1930	81.9	66.3	64.9	61.7	58.6	57.5	57.7	56.3	53.8	54.0	50.8	43.2	59.6
1931	33.4	36.6	34.5	33.7	32.4	32.2	31.4	30.1	29.4	29.9	30.2	28.0	32.0
1932	21.6	19.4	18.0	19.1	19.4	20.6	28.2	38.9	40.2	55.4	48.8	46.5	31.9
1933	38.8	40.6	42.0	43.9	45.6	47.1	47.1	48.6	56.0	59.2	72.7	77.4	52.2
1934	76.7	75.7	85.3	85.3	84.5	82.7	85.2	84.8	83.3	82.4	80.8	78.0	81.5
1935	71.8	56.4	53.0	53.5	55.5	56.4	57.2	60.0	61.3	80.2	103.7	104.7	65.5
1936	97.9	94.6	95.6	100.6	103.6	105.4	119.1	121.2	117.2	118.1	102.6	93.9	104.5
1937	58.9	48.0	48.5	52.2	51.7	51.3	52.7	52.7	52.3	53.7	48.5	49.0	48.6
1938	41.9	40.0	43.1	45.1	43.9	44.4	45.4	48.3	49.9	47.8	45.7	46.0	48.7
1939 <sup>2</sup>	47.6	46.8											54.1

## Apples: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average <sup>1</sup>
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1928	1.56	1.06	0.97	0.99	1.08	1.19	1.24	1.30	1.34	1.32	1.44	1.53	1.08
1929	1.61	1.39	1.31	1.38	1.36	1.43	1.48	1.54	1.55	1.60	1.68	1.74	1.39
1930	1.45	1.06	1.03	.98	.97	.99	1.04	1.06	1.05	1.17	1.22	1.31	1.02
1931	1.08	.77	.71	.59	.61	.65	.66	.66	.71	.79	.83	.92	.66
1932	.86	.65	.57	.57	.57	.62	.65	.66	.70	.79	.85	.89	.59
1933	.87	.75	.73	.70	.73	.80	.89	.97	1.04	1.09	1.14	1.22	.78
1934	1.00	.82	.82	.84	.89	.94	.99	1.04	1.05	1.10	1.14	1.17	.89
1935	.96	.78	.69	.64	.69	.77	.81	.84	.87	.86	.92	1.07	.71
1936	.94	.96	.89	.97	1.06	1.13	1.19	1.30	1.33	1.43	1.57	1.56	1.05
1937	1.12	.82	.72	.62	.62	.67	.70	.67	.66	.67	.72	.77	.67
1938	.80	.75	.77	.79	.84	.90	.95	.96	.98	1.00	1.02	1.02	.83
1939	.90	.66	.63	.59	.62				.98				.66

All Oranges: <sup>4</sup> Per Box

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1928	2.75	3.17	3.43	3.96	4.35	4.21	4.75	4.85	4.60	3.85	1.91	1.74
1929	1.42	.97	1.01	1.32	1.14	1.43	1.80	1.90	2.10	1.84	2.26	2.43
1930	2.18	2.41	3.42	4.14	5.05	4.70	4.90	4.70	5.49	3.26	1.54	.93
1931	.89	.95	1.13	1.44	1.26	1.46	1.50	1.25	1.60	1.62	1.20	.98
1932	.93	1.19	1.22	1.26	1.28	1.15	1.00	.85	1.10	1.15	1.11	.84
1933	.74	.57	.52	.46	.70	.86	1.13	1.10	1.40	1.13	.74	.85
1934	.82	.86	.92	1.09	1.70	2.17	1.80	1.80	1.75	2.13	.94	.76
1935	.85	.92	1.10	1.23	1.23	1.00	1.34	1.40	1.30	1.37	1.37	1.22
1936	1.02	1.24	1.05	1.13	1.53	1.70	1.85	1.90	2.25	1.69	1.04	.78
1937*	1.48	1.63	1.95	2.14	2.05	2.47	3.06	3.05	3.03	1.86	1.02	.71
1938*	.57	.68	.55	.65	.65	.73	.95	.95	.80	.53	.60	.53
1939	.41	.44	.58	.76	.85	1.06	.79	1.09	1.40	1.34	.70	

Grapefruit: Per Box <sup>4</sup>

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1928	1.94	2.30	2.24	2.14	1.73	1.60	2.46	2.62	2.58	1.50	1.30	0.86
1929	.75	.63	.61	.72	1.07	1.78	2.25	2.40	3.31	1.74	1.96	1.75
1930	1.80	1.73	1.85	2.10	3.21	3.23	3.55	3.35	1.50	1.12	.81	.59
1931	.58	.39	.53	.53	.36	.32	.92	1.15	1.19	.90	.57	.52
1932	.45	.44	.69	1.12	1.40	1.03	.95	1.00	1.41	1.32	.99	.64
1933	.48	.42	.31	.23	.15	.14	.29	.67	.87	.76	.66	.61
1934	.59	.63	.76	.95	.95	1.20	1.25	1.45	1.70	.60	.46	.46
1935	.42	.49	.46	.60	.47	.49	.64	.95	.80	.90	.77	.77
1936	.79	.76	.72	.90	1.17	1.16	1.35	1.80	.57	.46	.33	.35
1937	.34	.42	.52	1.01	1.17	1.83	1.60	1.40	.91	.80	.65	.58
1938	.45	.39	.43	.49	.45	.47	.57	.70	.65	.39	.28	.26
1939	.22	.32	.19	.27	.25	.26	.33	.46	.54	.81	.38	

Lemons: Per Box <sup>5</sup>

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1928	4.00	3.15	2.50	3.05	4.20	3.30	3.45	3.35	2.30	2.45	2.35	3.40
1929	1.95	1.50	1.65	1.65	2.00	3.25	3.85	5.35	7.05	6.80	5.75	4.45
1930	2.95	2.25	2.50	3.30	3.90	3.15	4.85	3.75	2.20	1.55	1.65	1.75
1931	1.85	1.60	1.50	1.50	1.80	3.45	3.10	3.20	4.65	2.05	1.15	1.20
1932	1.05	1.15	.90	.90	1.95	1.50	3.25	4.50	5.20	4.25	2.30	2.80
1933	1.45	1.35	1.45	1.45	2.90	2.70	1.75	1.45	2.20	1.85	1.65	2.35
1934	2.05	2.20	2.00	2.00	3.15	3.10	2.55	1.95	1.70	2.05	1.65	1.50
1935	.95	.65	.65	.65	.65	1.35	3.20	2.55	2.15	2.90	3.15	3.20
1936	2.10	2.20	2.20	2.25	3.30	3.30	4.10	2.85	2.15	2.05	1.85	1.55
1937	3.20	2.75	2.60	2.75	3.25	3.55	3.30	3.60	3.25	3.90	4.90	3.30
1938	2.30	1.85	2.75	1.80	2.30	1.80	2.20	2.10	1.65	1.20	1.10	1.40
1939	1.30	1.45	1.50	.95	1.50	2.15	2.15	1.95	2.20	1.95	3.00	

## Horses: Per Head

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average <sup>1</sup>
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	68.8	70.8	74.5	76.0	75.9	75.6	75.6	73.7	73.0	71.1	70.0	68.8	72.2
1930	68.6	68.7	69.4	70.2	69.7	68.8	64.3	62.1	61.1	60.0	58.9	57.3	65.2
1931	57.6	59.6	60.6	61.0	61.1	59.0	56.2	54.0	52.0	50.2	49.3	49.2	55.9
1932	49.7	51.2	55.4	56.7	55.1	54.8	54.6	54.0	52.6	51.1	50.7	50.4	52.5
1933	53.0	55.4	57.5	60.7	64.1	64.1	64.8	63.9	62.2	61.4	62.5	63.7	59.8
1934	66.5	73.0	74.6	75.5	74.9	73.8	71.2	68.8	70.9	70.6	72.2	72.9	72.0
1935	77.6	84.0	88.3	90.9	89.7	89.4	89.0	87.9	87.7	88.6	88.9	90.6	87.4
1936	92.7	94.8	98.2	101.0	100.2	98.8	95.9	90.8	90.3	90.7	90.5	93.2	95.3
1937	96.3	99.4	101.5	100.2	98.1	96.5	95.2	93.6	93.1	90.0	87.8	86.0	95.4
1938	87.4	89.0	88.6	88.0	87.5	86.3	85.7	82.6	81.7	79.9	79.4	79.8	85.1
1939	82.0	83.1	83.0	81.5	82.5	81.3	80.2	78.0	79.9	78.6	77.6	77.1	81.0

## Mules: Per Head

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average <sup>1</sup>
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	86.8	89.5	92.4	94.2	94.1	92.8	92.2	89.3	89.0	88.2	86.8	85.5	89.7
1930	85.4	85.8	87.4	87.0	86.0	84.9	79.8	73.5	72.1	72.8	71.0	68.4	80.1
1931	68.9	70.8	72.4	72.9	72.2	70.1	66.3	64.1	62.0	60.8	60.0	60.0	66.8
1932	59.3	59.9	63.8	64.7	63.3	62.5	62.0	62.5	61.7	60.6	59.5	58.2	61.9
1933	60.2	63.8	65.7	68.2	72.2	72.2	72.6	71.6	70.4	70.9	73.6	76.1	69.2
1934	79.7	86.6	88.2	88.2	87.5	85.7	82.6	79.6	83.9	85.2	87.1	89.4	85.7
1935	93.9	102.4	105.3	105.9	106.1	104.3	102.2	102.6	103.4	104.7	104.6	105.9	104.3
1936	108.1	110.6	114.7	115.2	115.1	112.4	109.9	106.2	106.5	107.5	108.6	111.6	111.0
1937	114.0	117.7	120.3	120.9	120.0	117.1	115.3	112.3	112.6	109.3	107.1	103.3	114.2
1938	106.3	109.3	108.5	107.1	106.3	104.8	102.1	99.7	99.2	98.8	97.6	97.7	104.0
1939	100.3	101.5	101.6	101.0	101.6	100.4	99.2	97.0	98.8	97.7	96.6	97.2	100.0

## Hogs: Per 100 Pounds

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average
	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>
1929	8.18	8.88	10.00	10.20	9.96	9.80	10.33	10.28	9.53	9.10	8.54	8.53	9.42
1930	8.80	9.48	9.57	9.17	8.99	9.10	8.38	8.51	9.44	8.79	8.20	7.44	8.84
1931	7.25	6.81	6.92	6.92	6.35	5.70	6.20	6.25	5.44	4.70	4.36	3.76	5.34
1932	3.76	3.53	3.60	3.58	3.26	2.82	4.23	4.06	3.78	3.25	3.05	2.73	3.73
1933	2.68	2.94	3.22	3.21	3.88	3.66	3.98	3.79	3.73	4.17	3.70	2.92	3.53
1934	3.06	3.87	3.88	3.49	3.17	3.52	3.97	4.61	6.04	5.20	5.04	4.15	5.14
1935	6.87	7.10	8.10	7.88	7.92	8.36	8.40	10.22	10.29	9.56	8.54	8.72	9.63
1936	8.91	9.34	9.17	9.88	8.59	8.91	9.14	9.89	9.68	9.17	8.74	9.09	9.30
1937	9.40	9.19	9.17	9.04	9.39	9.97	10.70	11.46	10.55	9.78	8.25	7.54	9.47
1938	7.59	7.74	8.35	7.77	7.35	8.00	8.56	7.81	8.07	7.28	7.25	6.90	7.72
1939	6.96	7.21	7.10	6.57	6.39	5.96	6.26	5.47	7.06	6.52	5.87	5.03	6.23
1940	5.18												



## Average Prices Received by Farmers, United States, 1929-39—Continued

Sheep: Per 100 Pounds													
Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average
1929	Dol. 7.84	Dol. 7.98	Dol. 8.36	Dol. 8.40	Dol. 8.09	Dol. 7.86	Dol. 7.25	Dol. 7.32	Dol. 7.01	Dol. 6.83	Dol. 6.75	Dol. 6.61	Dol. 7.17
1930	6.91	6.84	6.59	6.44	5.86	5.52	4.65	4.13	4.21	3.93	3.98	3.96	4.74
1931	4.04	4.15	4.24	4.24	3.91	3.28	3.01	3.00	2.80	2.63	2.63	2.52	3.10
1932	2.48	2.67	2.91	2.86	2.52	2.36	2.37	2.19	2.17	2.03	2.06	2.04	2.19
1933	2.10	2.16	2.18	2.29	2.47	2.46	2.59	2.57	2.52	2.46	2.38	2.48	2.38
1934	2.71	3.46	3.66	3.63	3.54	2.98	2.73	2.59	2.52	2.52	2.55	2.66	2.85
1935	3.30	3.78	3.83	3.83	3.69	3.64	3.50	3.56	3.77	3.80	3.89	4.21	3.77
1936	4.34	4.29	4.36	4.48	4.40	4.03	3.94	3.68	3.60	3.52	3.58	3.85	3.81
1937	4.24	4.45	4.81	4.98	4.89	4.52	4.53	4.52	4.35	4.30	3.95	3.86	4.40
1938	3.67	3.61	3.97	3.90	3.59	3.43	3.46	3.40	3.38	3.36	3.53	3.69	3.57
1939	3.83	4.02	3.99	4.19	3.94	3.67	3.66	3.59	3.80	3.92	3.83	3.79	3.86
1940	3.86												

Lambs: Per 100 Pounds													
1929	12.23	12.60	13.12	13.36	12.79	12.31	11.90	11.46	11.08	10.97	10.74	10.76	11.90
1930	11.10	10.46	9.63	9.02	8.92	9.02	8.08	6.82	6.67	6.15	6.21	6.18	7.74
1931	6.30	6.59	6.84	6.94	6.96	6.42	5.60	5.33	5.04	4.64	4.46	4.19	5.64
1932	4.43	4.53	5.05	5.13	4.78	4.49	4.37	4.11	4.11	3.95	3.91	3.95	4.46
1933	4.09	4.19	4.27	4.34	4.72	5.18	5.24	5.26	5.08	5.01	4.95	4.92	5.05
1934	5.50	6.55	6.79	6.82	6.95	6.37	5.64	5.02	4.86	4.81	4.84	5.01	5.90
1935	6.21	6.65	6.67	6.58	6.59	6.52	6.26	6.47	7.23	7.38	7.57	8.15	7.22
1936	8.25	8.31	8.10	8.46	8.59	8.33	7.94	7.59	7.43	7.25	7.23	7.26	8.03
1937	7.92	8.12	8.83	9.19	9.16	8.88	8.50	8.64	8.57	8.42	7.87	7.48	8.84
1938	7.15	6.63	7.35	7.23	6.90	6.84	6.84	6.59	6.46	6.37	6.82	7.08	7.04
1939	7.33	7.37	7.43	7.88	8.02	7.49	7.31	6.94	7.57	7.60	7.48	7.38	7.75
1940	7.57												

Wool: Per Pound													
1929	Ct. 35.9	Ct. 35.9	Ct. 35.5	Ct. 33.8	Ct. 31.3	Ct. 30.2	Ct. 29.4	Ct. 29.2	Ct. 29.0	Ct. 28.6	Ct. 28.5	Ct. 27.8	Ct. 30.2
1930	27.4	25.9	23.7	21.4	19.6	19.2	19.2	19.8	20.2	19.6	19.0	18.4	19.5
1931	17.4	16.4	15.9	15.6	14.4	13.0	12.7	13.1	13.2	12.5	13.1	12.9	13.6
1932	12.5	13.0	12.5	11.0	8.8	7.2	7.0	7.4	9.1	9.5	9.4	9.2	8.6
1933	8.9	8.8	8.9	10.1	17.7	21.3	22.4	22.5	23.0	23.6	23.8	24.2	20.6
1934	24.6	25.4	26.9	26.2	23.4	21.9	21.4	20.4	19.5	19.3	19.2	18.5	21.9
1935	18.8	18.2	17.4	16.2	16.1	19.8	20.5	20.0	20.9	21.3	22.6	23.3	19.2
1936	24.1	25.6	26.5	26.2	25.8	27.8	27.5	27.2	26.5	26.4	27.2	27.1	26.9
1937	31.3	31.6	31.7	33.2	32.7	31.4	31.3	31.4	30.8	29.2	26.0	23.6	32.0
1938	21.6	20.3	19.2	18.5	18.8	18.0	19.0	19.8	19.1	20.1	20.7	20.3	19.1
1939	20.0	20.2	20.0	19.7	21.0	21.9	21.8	22.0	24.3	28.7	27.6	27.5	22.3
1940	28.1												

Chickens: Per Pound													
1929	21.6	22.1	22.7	23.8	24.4	24.6	23.7	22.7	22.4	21.5	20.3	19.1	22.8
1930	19.8	20.4	20.6	21.1	20.0	19.0	17.4	17.3	17.8	17.4	16.1	15.3	18.4
1931	15.7	15.1	16.1	16.7	15.9	16.1	15.8	16.2	15.7	14.4	14.1	13.9	15.8
1932	13.3	12.6	12.6	12.6	12.2	11.4	11.7	11.7	11.6	10.7	10.1	9.2	11.8
1933	9.3	9.4	9.1	9.8	10.4	10.0	10.4	9.8	9.5	9.3	8.8	8.6	9.5
1934	9.4	10.2	10.7	11.1	11.2	11.2	11.7	11.4	12.7	11.8	11.7	11.7	11.3
1935	12.4	13.4	14.2	15.5	15.7	15.6	14.0	14.1	15.4	15.7	15.9	16.0	14.9
1936	16.5	16.9	16.6	16.9	16.6	16.4	16.1	15.1	14.9	14.0	13.2	12.6	15.8
1937	13.4	13.6	14.4	15.2	14.8	14.8	15.3	16.8	17.4	17.6	16.9	16.4	15.9
1938	16.7	16.0	15.9	16.2	16.1	15.7	15.0	14.2	14.3	13.6	13.6	13.6	15.0
1939	14.0	14.2	14.3	14.4	13.9	13.4	13.7	13.0	13.6	12.7	12.4	11.7	13.4
1940	12.0												

Eggs: Per Dozen													
1929	33.0	31.9	28.0	23.0	24.4	26.1	27.2	29.8	33.9	38.4	44.2	45.8	29.8
1930	38.4	31.8	21.3	21.5	20.0	18.6	18.8	20.6	25.3	26.5	31.7	26.8	23.7
1931	22.1	14.1	17.0	16.2	13.3	14.1	14.8	17.3	19.1	22.7	26.4	25.6	17.6
1932	17.2	12.8	10.4	10.2	10.3	10.6	12.0	14.7	17.2	22.5	26.1	28.1	14.2
1933	21.4	11.0	10.1	10.3	11.8	10.1	13.1	13.3	16.3	20.8	24.0	21.6	13.8
1934	17.6	15.8	14.4	13.5	13.3	13.2	14.1	17.2	21.9	23.7	28.6	27.0	17.1
1935	25.0	25.6	18.6	20.0	21.4	21.0	21.7	22.7	26.4	27.9	30.1	28.7	23.4
1936	22.8	23.8	17.5	16.8	18.1	18.9	20.0	22.4	24.5	27.6	32.5	30.5	21.8
1937	23.1	20.1	19.9	20.1	17.9	17.6	19.4	20.4	22.9	25.2	28.0	26.0	21.3
1938	21.6	16.4	16.2	15.9	17.6	18.2	19.9	21.0	24.9	27.1	29.0	27.9	20.3
1939	18.8	16.7	16.0	15.5	15.2	14.9	16.5	17.5	20.6	22.9	25.8	20.5	17.5
1940	18.3												

Turkeys: Per Pound													
Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	
1929	Ct. 28.2	Ct. 23.7	Ct. 21.6	Ct. 18.0	Ct. 10.2	Ct. 10.0	Ct. 10.3	Ct. 10.8	Ct. 10.3	Ct. 10.7	Ct. 11.3	Ct. 11.8	Ct. 23.5
1930	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.5
1931	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6
1932	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
1933	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2
1934	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6
1935	16.0	16.1	15.7	15.8	15.1	14.2	13.5	13.1	14.4	15.9	19.9	21.3	16.0
1936	19.9	18.8	17.8	17.1	16.2	15.4	15.3	15.5	15.9	15.9	15.0	14.3	16.0
1937	14.1	14.0	14.2	14.3	14.0	13.7	13.9	14.2	15.0	16.7	17.9	18.0	14.0
1938	17.5	17.7	17.2	17.0	16.4	15.6	15.7	15.0	16.0	16.5	17.1	18.4	18.0
1939	18.3	17.5	17.6	16.9	15.6	14.7	14.4	14.3	15.4	15.3	16.0	15.6	15.6
1940	12.0												

Milk (Whole), Wholesale: Per 100 Pounds													
Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	2.72	2.67	2.59	2.47	2.36	2.30	2.37	2.47	2.58	2.68	2.70	2.59	2.54
1930	2.44	2.34	2.28	2.21	2.09	1.99	2.06	2.20	2.35	2.35	2.27	2.12	2.21
1931	1.95	1.87	1.78	1.65	1.54	1.50	1.57	1.67	1.75	1.77	1.73	1.61	1.69
1932	1.49	1.43	1.36	1.25	1.16	1.11	1.14	1.20	1.27	1.30	1.32	1.29	1.27
1933	1.19	1.12	1.08	1.09	1.17	1.26	1.36	1.43	1.47	1.49	1.55	1.48	1.30
1934	1.47	1.51	1.49	1.42	1.39	1.43	1.48	1.56	1.60	1.67	1.77	1.80	1.54
1935	1.84	1.86	1.79	1.75	1.61	1.52	1.54	1.59	1.65	1.74	1.87	1.93	1.70
1936	1.93	1.91	1.82	1.72	1.64	1.64	1.88	1.97	2.02	2.04	2.10	2.08	1.87
1937	2.05	2.02	1.98	1.87	1.79	1.75	1.82	1.91	2.03	2.11	2.22	2.22	1.96
1938	2.08	1.96	1.84	1.69	1.57	1.52	1.56	1.59	1.70	1.76	1.85	1.86	1.72
1939 <sup>1</sup>	1.79	1.72	1.59	1.48	1.41	1.43	1.52	1.64	1.78	1.90	2.01	2.00	1.73
1940 <sup>1</sup>	1.97												



[illegible]



